

Bryant University

HONORS THESIS



Perceptions of Bipolar Disorder in the Entertainment Media

BY HALEIGH RESNICK

ADVISOR • Dr. Julie E. Volkman

EDITORIAL REVIEWER • Dr. Judith McDonnell

Submitted in partial fulfillment of the requirements for graduation
with honors in the Bryant University Honors Program

MAY 2020

Perceptions of Bipolar Disorder in the Entertainment Media

Bryant University Honors Program

Honors Thesis

Student's Name: Haleigh Resnick

Faculty Advisor: Dr. Julie E. Volkman

Editorial Reviewer: Dr. Judith McDonnell

May 2020

Table of Contents

Abstract	1
Introduction	2
Defining Bipolar Disorder.....	3
Pharmacological Therapy.....	5
Psychosocial Therapy.....	6
Mass Media and Mental Health	7
Stigma About Mental Health in the Mass Media.....	11
Media, Stigma, and Mental Health	13
Communication Perspectives on Mental Health in Mass Media	18
Cultivation Theory	18
Transportation Theory.....	19
Specific Portrayals of Mental Illness in the Media	21
Television Depictions of Mental Health	23
Discussion	24
APPENDICES	27
Appendix A – Number of TV households in the United States from season 2000-2001 to season 2019-2020 (in millions).....	28
Appendix B: Favorite Media Activities in the U.S. in 2018, by Age Group.....	29
References	30

Perceptions of Bipolar Disorder in the Entertainment Media
Honors Thesis for Haleigh Resnick

ABSTRACT

This is a literature review of empirical research.

This literature review provides an overview of how mental health conditions, specifically bipolar disorder, are depicted in the media (television and movies) by examining relevant empirical research. The review also includes how stigmas are perpetuated in these media depictions.

This literature review included an extensive review of published literature in the past 50 years about mental health and bipolar disorder depictions in media (television and movies). Studies were included for their relevance on mental health conditions generally, and any specifics related to bipolar disorder. Studies were read for key statements about stigmas, application of media effects perspectives and how depictions informed audiences about mental health.

The literature review highlights that many of the media depictions of those with mental health conditions, and bipolar disorder, are negative. The media relies upon negative stereotypes of those with mental health disorders, which in turn leads to negatively informed perceptions by viewers.

There is a need to educate the media about bipolar disorder and mental health conditions.

Improving mental health depictions in the media could help reduce stigmas associated with mental health.

Perceptions of Bipolar Disorder in the Entertainment Media
Honors Thesis for Haleigh Resnick

INTRODUCTION

There is a need for more research surrounding whether certain mediums in the entertainment media are causing viewers to form perceptions about bipolar disorder. From prior experiences it seems that the entertainment media is causing its viewers to form negative perceptions about bipolar disorder. One objective for this project is for individuals to become more educated on bipolar disorder and the role that the entertainment media plays in affecting perceptions surrounding the mental health condition. This report can additionally assist individuals who have bipolar disorder in hopes that it can bring more awareness about the mental health condition and potentially make it easier for certain individuals to publicly come out with their mental health diagnosis.

It seems a majority of entertainment media depicts characters who have bipolar disorder in anything but a positive light. The literature cited in this literature review helped to provide evidence that the entertainment media is causing the individuals who watch certain programs to form perceptions about bipolar disorder.

This topic is important to research because many people struggle with living with bipolar disorder every day. Hopefully, this literature review will spark researchers to further explore this topic since there currently is a lack of data surrounding it. If more research begins to be conducted, it will educate the public about how the media portrays health issues, such as bipolar disorder. Educating individuals on what bipolar disorder is, as well as shed light onto the incorrect depictions that entertainment media shows on screen, might help to break certain stigmas and stereotypes associated with the mental health condition.

Perceptions of Bipolar Disorder in the Entertainment Media
Honors Thesis for Haleigh Resnick

DEFINING BIPOLAR DISORDER

Bipolar disorders I and II are recognized by the American Psychiatric Association's Diagnostic and Statistical Manual of Mental Disorders (DSM-IV) as a "group of brain disorders that cause extreme fluctuation in a person's mood, energy, and ability to function" (Truschel and Montero, 2019, para. 1). Conditions that often occur concurrently with bipolar II disorder include panic disorder, panic attacks, generalized anxiety disorder (GAD), social phobia, and obsessive-compulsive disorder (OCD) (Parker, 2012).

The National Alliance on Mental Illness (NAMI) further defines bipolar disorder as "a mental illness that causes dramatic shifts in a person's mood, energy and ability to think clearly. People with bipolar experience high and low moods—known as mania and depression—which differ from the typical ups-and-downs most people experience" (NAMI, 2017, para. 1). Bipolar disorder ranges between the two different classifications: bipolar I disorder and bipolar II disorder. According to NAMI, bipolar I disorder is "an illness in which people have experienced one or more episodes of mania. Most people diagnosed with bipolar I will have episodes of both mania and depression, though an episode of depression is not necessary for a diagnosis" (NAMI, 2017, para. 15). In terms of bipolar II disorder, NAMI states that it "is a subset of bipolar disorder in which people experience depressive episodes shifting back and forth with hypomanic episodes, but never a "full" manic episode" (NAMI, 2017, para.16).

The World Health Organization (WHO) (WHO, 2019) found that bipolar disorder "affects about 45 million people worldwide" (WHO, 2019, para. 7). Specifically in the United States, NAMI has found that bipolar disorder "affects men and women equally, with about 2.8% [estimated 7 million people] of U.S. adults experiencing bipolar disorder each year.

Perceptions of Bipolar Disorder in the Entertainment Media

Honors Thesis for Haleigh Resnick

Approximately 83% of cases of bipolar disorder are classified as ‘severe’” (NAMI, 2017, para. 2). According to the National Institute of Mental Health (NIMH), the Sheehan Disability Scale was used to determine the degree of impairment, ranged from moderate to serious, of adults in the past year (2001-2003) who have been diagnosed with bipolar disorder (NIMH, 2017). Using data from National Comorbidity Survey Replication (NCS-R), the NIMH found that “an estimated 82.9% of people with bipolar disorder had serious impairment, the highest percent serious impairment among mood disorders” (NIMH, 2017, para. 5).

The treatment plans, commonly referred to by medical professionals as ‘well-being plans’ for bipolar II disorder are highly individualized, varying from patient to patient. The ideology behind the ‘well-being plan’

involves more than simply a plan for avoiding symptoms or keeping bipolar II disorder in check. It aims first and foremost to inform, keep safe, and to protect from the risk of episodes. Secondly, when the time is right, it seeks to remind, inspire, and challenge the individual to take measured steps towards adding value to his/her life, thus creating a more interesting and fulfilling experience. Thirdly, it works towards a more robust sense of self, which can then act as a protection against further episodes, buffering against depression and diluting the impulse to escape into hypomanic periods (Parker, 2012, p. 152).

These individualized threefold plans allow for personal growth for the affected individual and work toward increasing her quality of life.

The most used strategies [include]: a commitment to getting adequate sleep, being aware of warning signs and triggers, keeping stress to a manageable level, taking

Perceptions of Bipolar Disorder in the Entertainment Media

Honors Thesis for Haleigh Resnick

appropriate medication and making use of compassionate social and professional supports. Some people [make] major lifestyle changes, while others [stay] well with only very minor adjustments (Parker, 2012, p. 151).

The key to managing bipolar disorder II relates to the affected individual finding and maintaining a healthy balance of self-monitoring. A person who has been diagnosed with bipolar II disorder “must become willing to take on the responsibility for, or stewardship of, his/her own ‘well-being plan’ – namely, a set of strategies developed with the unique needs and interests of the individual in mind, aimed at helping him/her achieve a health and satisfying lifestyle, and usually developed collaboratively with health professionals, family, and/or friends” (Parker, 2012, p. 151-152).

The largest component of treating a patient with bipolar II disorder relates to mood stabilization. The two types of therapy that patients can be treated with, based on their symptoms, needs, and responses to treatment, are pharmacological therapy and psychosocial therapy.

Pharmacological Therapy

Pharmacological therapy involves three classifications of drugs: mood stabilizers, atypical antipsychotics, and antidepressants (Substance Abuse and Mental Health Services Administration Advisory (SAMHSA, 2016). In accordance with pharmacological therapy, “a study describing prescription patterns for 500 bipolar patients in a US psychiatric academic setting showed that lithium and anticonvulsants [mood stabilizers] are commonly used in the treatment of BP II (bipolar II disorder) patients referred from the community” (Parker, 2012, p. 114; see also: Ghaemi et al., 2006a). In a later report, “BP II patients showed a 98%

Perceptions of Bipolar Disorder in the Entertainment Media

Honors Thesis for Haleigh Resnick

reduction in hospitalization rates during lithium treatment, as well as a decrease in the percentage of time spent ill and recurrence of mood episodes by 80% and 68% respectively (Parker, 2012, p. 120; see also: Tondo et al., 1998). Although there are many routes a psychiatrist can take in relation to medication management, it can be a very long and tiring process to find the right ‘concoction’ of medication(s) and doses of the medication(s) for patients who are seeking treatment.

Psychosocial Therapy

Psychosocial therapy involves three main treatment approaches: cognitive-behavioral therapy (CBT), family-focuses therapy (FFT), and interpersonal and social rhythm therapy (IPSRT) (SAMHSA, 2016). CBT

uses a process called cognitive restructuring, in which an individual learns to identify harmful or negative patterns of thoughts, behaviors, and beliefs and to modify them into more balanced patterns. The goal is to decrease the individual’s degree of emotional distress over troubling situations (SAMHSA, 2016, p. 5).

FFT is geared more toward the family of the individual who has bipolar disorder. The purpose of FFT is to “FFT help families understand bipolar disorder, develop coping strategies, and learn to recognize when a new depressive or manic/hypomanic episode may be beginning” (SAMHSA, 2016, p. 5). The most intricate treatment is IPSRT, which includes three components:

- *Psychoeducation* focuses on information about bipolar disorder, treatment options (and possible side effects), and early warning signs of a new depressive or manic/hypomanic episode.

Perceptions of Bipolar Disorder in the Entertainment Media

Honors Thesis for Haleigh Resnick

- *Social rhythm therapy* focuses on identifying situations that may upset life routines and developing ways to stabilize life routines, to reduce emotional distress.
- *Interpersonal psychotherapy* focuses on the ways that interpersonal problems (such as grief, role transitions, or disputes) may be related to changes in mood that may signal the beginning of new mood episodes, such as new or increased depression or mania/hypomania (SAMHSA, 2016, p. 5-6).

Similarly to pharmacological therapy, psychosocial therapy involves trial and error in order to see which treatment plan is most effective for the patient.

MASS MEDIA AND MENTAL HEALTH

Krantz-Kent examined the time period of 2013-2017 to see how much time individuals in the United States spend watching television. She found that “U.S. civilian noninstitutional population ages 15 and older spent an average of 2 hours 46 minutes per day watching TV” (Krantz-Kent, 2018, p. 2). Of those individuals who are 15 or older, “79.2 percent spent some time watching TV on a given day in the period from 2013–2017” (Krantz-Kent, 2018, p. 5). In terms of the months that people spent watching television the most, individuals watched television “just shy of 3 hours per day (2 hours 54 minutes) in October through March of 2013–17, and a quarter of an hour less per day (2 hours 39 minutes) in April through September” (Krantz-Kent, 2018, p. 8). Of the “nearly 80 percent of the population ages 15 and older who watched TV on a given day, a majority did so each hour between 8 p.m. and 10 p.m.” (Krantz-Kent, 2018, p. 8).

Perceptions of Bipolar Disorder in the Entertainment Media
Honors Thesis for Haleigh Resnick

In Tukachinsky, Mastro, and Yarchi's study (2017), the concept that prime-time television portrays "recurring characters with whom viewers can identify and form meaningful parasocial bonds" (Tukachinsky, Mastro, and Yarchi, 2017, p. 539) was investigated.

Furthering this idea, "such involvement, in turn, fosters social learning, facilitates persuasion, and (depending on the manner in which groups are represented) can attenuate self-esteem and promote internalization of stigmas and social stereotypes" (Tukachinsky, Mastro, and Yarchi, 2017, p. 539; see also: Tukachinsky and Tokunaga, 2013). Although the focus of the study remains on the effect that prime-time television has on Latino and Black American racial stereotypes, it provides profound evidence that supports the following, "exposure to mainstream U.S. media [involving marginalized group members] contributes to perceptions of prejudice and discrimination against [such individuals] in U.S. society" (Tukachinsky, Mastro, and Yarchi, 2017, p. 543). Referring to Tajfel and Turner's study (1986), the researchers reference social identity theory and how "group memberships can constitute a central facet of one's identity" (Tukachinsky, Mastro, and Yarchi, 2017, p. 541; see also: Tajfel and Turner, 1986).

Adding onto Tajfel and Turner's study, Tukachinsky, Mastro, and Yarchi reflect on the concept that "belonging to an esteemed group is psychologically rewarding (potentially boosting self-concept, esteem, and attitudes toward one's group), whereas association with a devalued group can have negative psychological consequences (including a deflated sense of self-worth and group esteem, among others)" (Tukachinsky, Mastro, and Yarchi, 2017, p. 541). This research can be closely related to the depictions of mental health in the mass media. Typically, characters who are portrayed to have a mental illness in such programs are associated with behaving and acting in a negative and self-destructive manner.

Perceptions of Bipolar Disorder in the Entertainment Media
Honors Thesis for Haleigh Resnick

Expanding the conversation beyond the effects on ethnic minorities and toward the effects on ingroup attitudes, Tukachinsky, Mastro, and Yarchi note that it is “not surprising that media exposure has the potential to pose a social identity threat and lower group members’ personal and group esteem when negative and unfavorable messages about one’s group are presented” (Tukachinsky, Mastro, and Yarchi, 2017, p. 541). Supported by Schmader and Lickel’s study (2006),

these findings are consistent with [their] research on social identity threat which indicates that marginalized group members may experience negative emotions such as vicarious shame when negative stereotypes about their group are confirmed, in either real-world or mediated contexts (Tukachinsky, Mastro, and Yarchi, 2017, p. 541; see also: Schmader and Lickel, 2006).

These findings are additionally supported by a variety of studies found in the Media, Stigma, and Mental Health section further in this review. Broadening the scope to the effects on attitudes toward the majority group, the study supports Ortiz and Behm-Morawitz’s study (2015), which uncovers “a relationship between media usage patterns among [underrepresented populations] and perceptions of societal-level biases” (Tukachinsky, Mastro, and Yarchi, 2017, p. 543; see also: Ortiz and Behm-Morawitz, 2015). As a result, the following notion was concluded: “in addition to influencing perceptions regarding the value of one’s own group, exposure to stereotypic messages about the ingroup may also influence group member’s views about intergroup relations in society, and by extension affect attitudes towards the majority group” (Tukachinsky, Mastro, and Yarchi, 2017, p. 543).

Perceptions of Bipolar Disorder in the Entertainment Media

Honors Thesis for Haleigh Resnick

Published in 2018, Houghton et al. studied the reciprocal relationships between trajectories of depressive symptoms and screen media use during adolescence. Citing data from the WHO from 2001, the WHO “predicted that childhood and adolescent mental health problems would become one of the leading causes of morbidity, mortality and disability worldwide by 2020” (Houghton et al., 2018, p. 2453). Following up with this prediction, “by 2012, ~20% of adolescents reported experiencing a mental health problem in any given year, with depression being one of the most prevalent” (Houghton et al., 2018, p. 2453; see also: WHO, 2014; Merikangas, Nakamura, and Kessler, 2009; Patel, 2017). Since 2001, the evolution of television alone has increased exponentially, as depicted by Watson (2019) in Appendix A. Watson more specifically breaks down consumers’ preferred media activities by age group as of July 2018, which is outlined in Appendix B.

Given the dramatic increase of both the prevalence and accessibility of television in the United States over a small span of twenty years, it can be assumed that ramifications will follow. Despite the absence of “substantial evidence [supporting a] longitudinal association between screen use and depressive symptoms” (Houghton et al., 2018, p. 2465), there was evidence that supported significant increases in screen use time having the potential of deteriorating a young person’s mental health over time (Houghton et al., 2018). Explained by Houghton et al. (2018), “while not directly assessed in the current study, some adolescents may use screens in unproductive and unhelpful ways to cope with the stressors they encounter” (p. 2465). If this is the case, adolescents who do not have previous education and exposure to depicted behaviors in the entertainment media who are being exposed to inaccurate depictions of mental illness, can be at higher risk for inaccurately associating what

Perceptions of Bipolar Disorder in the Entertainment Media
Honors Thesis for Haleigh Resnick

they are watching as reality. Falsely equating character depictions of mental health as accurate depictions, paired with a lack of knowledge about the mental health condition represented on the screen, adolescents seem to be at the greatest risk for forming stigmas and prejudices against individuals who have such diagnoses.

STIGMA ABOUT MENTAL HEALTH IN THE MASS MEDIA

Stigma has a very large impact on individuals who have a mental illness. Defined in the realm of public stigma, the behavior can be broken down into three major components – stereotypes, prejudice, and discrimination play significant roles in shaping stigma. Stereotypes relate to a “negative belief about a group (e.g., dangerousness, incompetence, character weakness);” prejudice is an “agreement with belief and/or negative emotional reaction (e.g., anger, fear);” and discrimination involves a “behavior response to prejudice (e.g., avoidance, withhold employment and housing opportunities, withhold help)” (Corrigan and Watson, 2002, p. 16). Used in conjunction with the other, these elements can shape the ways in which the general public views various individuals, specifically those who have a mental illness.

Stigma “reduces the individual ‘from a whole and usual person to a tainted, discounted one’” (Watson, Holley, Kranke, Wilkins, Stromwall, and Eack, 2017, p. 175; see also: Goffman, 1963). Identified by Link and Phelan in 2001, they created a framework of “four factors that when combined result in negative effects for the stigmatized individual” (Watson, Holley, Kranke, Wilkins, Stromwall, and Eack, 2017, p. 175). The framework first begins with

Perceptions of Bipolar Disorder in the Entertainment Media

Honors Thesis for Haleigh Resnick

labeling the individual as different or other. The second factor is stereotyping, where the individual is reduced to generalizations about the labeled group. The third factor involves separating us from them, where the stigmatized individual is identified as them and a desire exists by the stigmatizer (the us) to not be associated with the individual. The fourth factor, discrimination, occurs when the individual is the recipient of behaviors that result in status loss (Watson, Holley, Kranke, Wilkins, Stromwall, and Eack, 2017, p. 175).

When stigma is exercised beyond the individual and introduced in the public sphere, it can have damaging consequences on the individual(s) who are being stigmatized. The specific level of stigma that emerges toward individuals who have been diagnosed with a mental disorder is referred to as social stigma.

Social stigma is “defined as a reaction of social disapproval of others based on personal and [behavioral] characteristics of sick people who are considered abnormal, disturbing, threatening, and dangerous” (Préville et al., 2015, p. 464; see also: Link and Phelan, 2001). The leading consequence of social stigma is social distance. Stressing the impact that social stigma can have against individuals with a mental health problem, the WHO and the World Psychiatry Association recognize it as a major social problem affecting the recovery of those affected (Préville et al., 2015; see also: Lamboy and Saïas 2012; Stuart, 2008). In many cases, individuals who either have been diagnosed with a mental illness or display symptoms/signs of having a mental illness attempt to conceal their symptoms in efforts to prevent stigmatization. In a study conducted in 1999, the “U.S. Surgeon General identified stigma as a primary cause for the underdiagnosis and undertreatment of mental illness” (Rusch, Kanter, Angelone, and Ridley, 2008, p. 373; see also: Satcher, 1999). When

Perceptions of Bipolar Disorder in the Entertainment Media
Honors Thesis for Haleigh Resnick

individuals who have a mental health problem do not receive the proper treatment, negative outcomes can ensue.

Supported by studies conducted in 1999 and 2002, “even though conventional treatments of mental disorders are efficient and not expensive, only 20–35% of those afflicted seek professional assistance” (Klin and Lemish, 2008, p. 435; see also: Brown and Bradley, 2002; Wedding and Boyd, 1999). Furthermore, additional studies proclaimed “prejudice and fear of stigma [to be] among the principal factors for the fact that many people who suffer with mental disorders do not seek or postpone seeking assistance” (Klin and Lemish, 2008, p. 435; see also: Jorm, 2000; Lipczynska, 2005; Philo and Secker, 1999). Thus, “stigmatization harms attempts to reduce the suicide rate (Philo, 1996), because a direct connection has been proven to exist between depression and suicide (Klin and Lemish, 2008, p. 435; see also: Beautrais, 2000; Wilkinson, 1994).

MEDIA, STIGMA, AND MENTAL HEALTH

Stigmatization is reinforced through many facets of life, one facet being the entertainment media. When forms of the entertainment media portray mental illness in a negative light, it cultivates negative perceptions and stigma toward those who are affected by and/or live with a mental health disorder. As many Americans rely on the mass media “as a central source of information, [it] not only reflect[s] public attitudes and values in relation to disabilities and illnesses, but also take[s] part in shaping them, both unintentionally by means of news coverage and entertainment shows, as well as intentionally, through advertising and information campaigns” (Klin and Lemish, 2008, p. 436; see also: Hafferty and Foster, 1994;

Perceptions of Bipolar Disorder in the Entertainment Media
Honors Thesis for Haleigh Resnick

Klin, 2001). Focusing on entertainment television programs, characters who are portrayed to have a mental health condition can be found to have connections with violence and a lack of predictability, as well as a high probability of being labeled as victims.

What is prominent in television programs is not only the connection of violence with people afflicted with mental disorders, but also the tendency to place responsibility for scandals and tragedies associated with them on the policy that supports deinstitutionalization and community-based services (Rose, 1998). More specifically, common in television dramas or films are depictions of persons afflicted with mental disorders as violent and unpredictable, as victims, or as incapable of holding down a job (Klin and Lemish, 2008; see also: Bryne, 1998; Diefenbach, 1997; Hillert et al., 1999; Hyler, Gabbard, and Schneider, 1991; Kerson, Kerson, and Kerson, 2000; Signorielli, 1989; Wilson et al., 1999). In the results of one study by Parrott and Parrott, they found that, “one out of every two (51%) mentally ill characters committed a violent act, compared to one in five (18%) characters from the general population of the television world. Meanwhile, 46% of mentally ill characters became victims of violence, compared to 31% of the general population” (Parrott and Parrott, 2015, p. 650).

When the entertainment media continually reinforces specific portrayals of individuals who have a mental illness, it can lead to increasingly damaging effects, such as stigmatization and prejudice against individuals who are living with a mental illness. “People who encounter negative stereotypes through the media are more likely to report negative attitudes about people with mental illness” (Parrott and Parrott, 2015, p. 651; see also: Wahl and Lefkowitz, 1989). As individuals continue to watch television that depicts characters who have a mental illness through a negative lens, “the more authoritarian and less benevolent attitudes they

Perceptions of Bipolar Disorder in the Entertainment Media

Honors Thesis for Haleigh Resnick

subsequently express toward people with mental illness” (Parrott and Parrott, 2015, p. 651; see also: Granello and Pauley, 2000). Especially for viewers who are uninformed about and unexposed to mental illness, it could be particularly detrimental to their perception of individuals who suffer from the conditions that they are seeing on television. Explained best by Parrott and Parrott:

while negative media content may be especially influential for people who lack first-hand knowledge about mental illness (Granello and Pauley, 2000), research also shows that people who have experienced mental illness themselves may internalize the negative stereotypes attached to conditions and diagnostic labels such as schizophrenia, bipolar disorder, and other mental illnesses (Parrott and Parrott, 2015, p. 652; see also: Watson, Corrigan, Larson, and Sells, 2007).

Especially highlighted in Parrott and Parrott’s study (2015), the media’s portrayals of those who have a mental illness has serious implications for those who legitimately suffer from a condition in their lives. Over the years, the entertainment media has increasingly obtained power over its viewers and the way that they think. As studies like Parrott and Parrott’s (2015) demonstrate, the media’s power and influence over its views is shaping their perceptions about those who live with a mental illness. After these negative perceptions are formed, they have the likelihood of deepening to stereotypes and manifesting into stigmatization.

The entertainment media’s stigmatizing storylines concerning mental illness create barriers from those who are affected by mental illness. “When audience members encounter such inaccurate and negative information in television shows and movies, the experience may reinforce bias against people with mental illness and/or cultivate new negative associations

Perceptions of Bipolar Disorder in the Entertainment Media

Honors Thesis for Haleigh Resnick

concerning what it means to live with a mental illness” (Parrott and Parrott, 2015, p. 641; see also: Stuart, 2006). As such outlets gain prominence and permanence, there is an increasing chance for stereotypes to be reinforced, which is an initial step in stigmatization (Parrott and Parrott, 2015). When stigmatization occurs, it “[informs] attitudes and subsequent prejudicial behavior in the real world” (Parrott and Parrott, 2015, p. 641; see also: Link and Phelan, 2014). Reinforced in a study by Klin and Lemish (2008), they explain the following:

serving as a central source of information, the mass media not only reflect public attitudes and values in relation to disabilities and illnesses, but also take part in shaping them, both unintentionally by means of news coverage and entertainment shows, as well as intentionally, through advertising and information campaigns (Klin and Lemish, 2008, p. 436; see also: Hafferty and Foster, 1994; Klin, 2001).

The more of an audience these stigmatizing television shows and movies have, the more problematic they become.

The media’s significantly shaping of audience perceptions of mental illness, leading to stigmatization of individuals who live with a condition, alters the livelihood of such peoples. Mental illness labels “have been associated with perceived threats of violence and thus high desires for social distance from these individuals further complicating their struggle with barriers to social support and resources” (Parrott and Parrott, 2015, p. 641; see also: Link, Cullen, Frank, and Wozniak, 1987; Link, Phelan, Bresnahan, Stueve, and Pescosolido, 1999). Since there is such a large presence of mental illness in various entertainment media, stigma can easily become attached to mental illness. Stigma has the ability to trigger “discrimination in employment, health, housing, and social settings, and it may also discourage people who need help from seeking treatment for fear of being labeled mentally ill, and thus perceived by

Perceptions of Bipolar Disorder in the Entertainment Media
Honors Thesis for Haleigh Resnick

others as bad or violent” (Parrott and Parrott, 2015, p. 641). Further discussed by Klin and Lemish, “prejudice and fear of stigma are among the principal factors for the fact that many people who suffer with mental disorders do not seek or postpone seeking assistance” (Klin and Lemish, 2008, p. 435; see also: Jorm, 2000; Lipczynska, 2005; Philo and Secker, 1999). Cited by the WHO as of 2019, “in low-and middle-income countries, between 76% and 85% of people with mental disorders receive no treatment for their disorder” (WHO, 2019, para. 22; see also: Wang et al., 2007). Supported by Klin and Lemish’s research, “one of the explanations for the low percentage of persons suffering from mental disorders who seek professional assistance is fear of stigmas and their negative consequences, and the fear of being the target of disparaging laughter” (Klin and Lemish, 2008, p. 434).

When combined, negative perceptions and stereotypes can be detrimental to those whose mental illness is being portrayed through a negative lens. As a direct result of the media being a main informant of mental illness to many individuals, many of which are either uninformed or disconnected from people with mental illness, it plays a large role in shaping and cultivating various beliefs and attitudes concerning certain conditions. The viscous cyclical pattern of the entertainment media rehearsing mental illness and being reinforced by viewers through mechanisms such as discrimination and prejudice is, in turn, altering social patterns and human interactions in society. The changes that are occurring due to the entertainment media work against those who have a mental illness, preventing their needs, one being emotional security, to be met.

COMMUNICATION PERSPECTIVES ON MENTAL HEALTH IN MASS MEDIA

In order to understand the need for change in the way the mass media depicts mental illness, it is crucial to recognize the various communication perspectives that play different roles into shaping the way a variety of messages are being received and interpreted. Communication perspectives that are particularly prevalent in understanding how the entertainment media shapes its viewer's ideas, perceptions, and understandings of various issues concerning mental illness are cultivation theory, agenda setting theory, and social learning theory.

Cultivation Theory

Cultivation theory was first introduced by George Gerbner "as a new and different way to think about media effects" (Morgan, Shanahan, and Signorielli, 2015, p. 679; see also: (Gerbner, 1969b). The motivation behind studying cultivation theory is

to understand the consequences of growing up and living in a cultural environment dominated by mediated mass communication—and to move away from the focus on immediate effects or change following exposure to specific messages that dominated that era's communication research (Morgan, Shanahan, and Signorielli, 2015, p. 679).

As the entertainment media today is continuously evolving and expanding its audiences, it persists to maintain its position as the dominant storyteller of and source of information for society.

Stout, Villegas, and Jennings explain that Gerbner and his colleagues found "those who spend more time 'living' in the world of television [are] more likely to see the 'real world' in terms of the images, values, portrayals, and ideologies that emerge through the lens of television" (Stout, Villegas, and Jennings, 2004; p. 544; see also: Gerbner et al. 2002). In other terms,

Perceptions of Bipolar Disorder in the Entertainment Media

Honors Thesis for Haleigh Resnick

the individuals who watch a significant amount of television have a greater change of aligning with characters who are portrayed in television programs than those who only watch less amounts (Stout, Villegas, and Jennings, 2004). Link and Cullen (1986) emphasize that individuals who lack experience with mental illness and those who are affected by it may use the media as their main informant of mental illness, leading them to form perceptions of those who are affected by a psychiatric disorder (Link and Cullen, 1986).

Transportation Theory

Transportation theory can be closely linked to cultivation theory, as its “processes are likely to occur with entertainment media, involving affective and cognitive responses, occasionally with strong effects” (Caputo and Rouner, 2011, p. 596; see also: Slater and Rouner, 2002).

Within this theory, it is suggested that

people process media messages differently depending on how engaged they are with story content. The result of being transported into a story—the plot, characters, and setting—leaves viewers more susceptible to beliefs and attitude change, as the transported state weakens their ability to counterargue, or challenge persuasive message content that may be imbedded in entertainment media (Caputo and Rouner, 2011, p. 596; see also: Green and Brock, 2000; Slater and Rouner, 2002).

Outlined by Green and Brock, the components of transportation include “emotional reactions, mental imagery, and a loss of access to real-world information; the resulting transportation may be a mechanism for narrative-based belief change” (Green and Brock, 2000, p. 703). To give additional context, both researchers “conceptualized transportation into a narrative world

Perceptions of Bipolar Disorder in the Entertainment Media

Honors Thesis for Haleigh Resnick

as a distinct mental process, an integrative melding of attention, imagery, and feelings” (Green and Brock, 2000, p. 701).

Living in “an era [with a seemingly endless supply of copious numbers of] channels; numerous alternate platforms for delivering content (computers, phones, tablets, video game consoles, etc.); virtually endless on-demand and streaming options; sharply fragmented audiences; and, arguably, far more real diversity and variation in programming” (Morgan, Shanahan, and Signorielli, 2015, p. 678) only increases the chances for viewers to become out of touch with the reality of mental illness. The act of being informed by and transported into a fictional story, specifically a story that involves a character who is depicted to have mental illness, can be especially detrimental for the individuals that have been diagnosed with that illness in real life. Yet, if the entertainment media shifts the negative storylines involving mental illness to those that are positive, the effects can be very powerful.

For instance, Hoffner and Cohen studied the television series *Monk* and its portrayal of mental illness (the series *Monk* will also be discussed in later sections). The television show “offered an arguably positive portrayal of a character with mental illness, [depicting] the title character, Adrian Monk, [as a] brilliant detective who had obsessive-compulsive disorder and numerous phobias” (Hoffner and Cohen, 2015, p. 1046). Through testing the viewer’s development of an emotional attachment, defined as a parasocial relationship, to the title character, they uncovered two key discoveries:

1. “individuals who had personal experience with mental illness reported a stronger parasocial relationship with Monk than did those who had no experience with mental illness [and]

Perceptions of Bipolar Disorder in the Entertainment Media
Honors Thesis for Haleigh Resnick

2. “greater personal contact was associated with more willingness to interact with people with mental illness (less social distance) and lower mental illness stereotypes”

(Hoffner and Cohen, 2015, p. 1052).

As a result of combining these findings with theory and prior research, Hoffner and Cohen concluded that “fictional media portrayals have the potential to reduce stigma and contribute to greater psychological health” (Hoffner and Cohen, 2015, p. 1053). This conclusion provides robust evidence that supports the concept of positive portrays reducing stigma and decreasing stereotypes as well as negative perceptions. The antithesis of this conclusion, however, works to provide evidence surrounding why negative portrayals of mental illness in entertainment media can be so harmful to those who are impacted by the depicted psychiatric disorders.

SPECIFIC PORTRAYALS OF MENTAL ILLNESS IN THE MEDIA

Wahl (1992) highlights that even in the 90s, the entertainment media consistently portrayed mental illnesses in an inaccurate manner (Wahl, 1992). Cited by Stout, Villegas, and Jennings, Signorielli (1989) found that characters on television that were portrayed to have mental illness were shown as unemployable – “they were less likely to be employed outside the home and more likely to be seen as failures when employed” (Stout, Villegas, and Jennings, 2004, p. 551; see also: Signorielli, 1989). Stout, Villegas, and Jennings discussed that although there is limited research on examining mental illness in the media, they have found that the available findings have been consistent in their findings. They explain that “content analyses indicate that mental illness is consistently misrepresented in media depictions through exaggerations and misinformation” (Stout, Villegas, and Jennings, 2004, p.

Perceptions of Bipolar Disorder in the Entertainment Media

Honors Thesis for Haleigh Resnick

558). To illustrate this point, they use studies conducted by Wahl (1992, 1995) and Philio et al. (1994) to demonstrate that “depictions are inaccurate, both in representing people as violent and dangerous and in the nature of the information about the disorders” (Stout, Villegas, and Jennings, 2004, p. 558; see also: Wahl, 1992; Philio et al. 1994; Diefenbach 1997; Wahl 1992, 1995). Furthermore, IMDb shows that over the span of 1948 to the present, at least 177 movies and television programs have portrayed characters as having bipolar disorder. When sorted by popularity, the ten most popular media were *Homeland* (2011-), *Misery* (1990), *Two Lovers* (2008), *Degrassi: The Next Generation* (2001-2015), *Silver Linings Playbook* (2012), *O Brother, Where Art Thou?* (2000), *Vacation (1)* (2015), *Blue Jasmine* (2013), *The Hours* (2002), and *The Roommate (I)* (2011) (IMDb).

Smith, Choueiti, Choi, Pieper and Moutier content analyzed “mental health conditions in popular films and TV series” (Smith, Choueiti, Choi, Pieper and Moutier, 2019, p. 1). Their study “scrutinized the 100 top movies of 2016 as well as the first episode of the highest rated TV series from the 2016/2017 season” (Smith, Choueiti, Choi, Pieper and Moutier, 2019, p. 1). They reported that out of 4,598 characters in film, 1.7% experience a mental health condition (1.5:1 ratio of males to females) and out of 1,220 characters in TV, 7% experience a mental health condition (1.15:1 ratio of males to females) (Smith, Choueiti, Choi, Pieper and Moutier, 2019, p. ii). They argued that “prejudicial attitudes and behaviors are still barriers to receiving care and acceptance by families and communities” (Smith, Choueiti, Choi, Pieper and Moutier, 2019, p. 4). Smith, Choueiti, Choi, Pieper and Moutier supported this claim through explaining that “less than half of American adults experiencing a mental health condition receive treatment, indicating that stigma, knowledge deficits, access to care, and other impediments may severely limit our ability to address one of the most serious public

Perceptions of Bipolar Disorder in the Entertainment Media
Honors Thesis for Haleigh Resnick

health threats facing our nation” (Smith, Choueiti, Choi, Pieper and Moutier, 2019, p. 4).

Despite that these percentages do not seem statistically significant in today’s era, the study was fairly small study for the amount of media that has been produced since the 90s.

TELEVISION DEPICTIONS OF MENTAL HEALTH

Hoffner and Cohen (2015) investigated the television series *Monk* to illustrate the effects of mental illness being portrayed in a positive light as part of combating stigmas of those with mental illness. As mentioned previously, their study found that many participants reported that they have had pervious, personal experiences with individuals who have been diagnosed with a mental illness (Hoffner and Cohen, 2015). Subsequently, there was a stronger likelihood to have a parasocial relationship with the character Monk, and interaction with others with mental illness. Since their research matched pervious research (Pirkis et al. 2006 and Schiappa et al., 2005), which examined how positive media portrayals of mental illness “have the potential to reduce stigma and contribute to greater psychological health,” (Hoffner and Cohen, 2015, p. 1053; see also: Pirkis et al., 2006; Schiappa et al., 2005) it poses the question if negative portrayals do the opposite. Whereas positive portrayals can help to reduce stigma, negative portrayals could aid in creating stigma.

Tukachinsky, Mastro, and Yarchi explained the habitual nature that Americans have developed for watching prime time television:

despite the growing popularity of niche networks and alternative media platforms, prime time television programming continues to dominate Americans’ media diet. In addition, the plurality of top-watched shows on video streaming platforms such as

Perceptions of Bipolar Disorder in the Entertainment Media
Honors Thesis for Haleigh Resnick

Netflix consists of popular prime time television shows (Tukachinsky, Mastro, and Yarchi, 2017, p. 539; see also: Nielsen, 2012; The Top Ten Shows, 2015).

Parrott and Parrott furthered Tukachinsky, Mastro, and Yarchi's (2017) research through investigating the portrayals of mental illness specifically in crime-based fictional television programs. Citing Stuart (2006), they explained that encountering such inaccurate and negative information in television shows and movies may "reinforce bias against people with mental illness and/or cultivate new negative associations concerning what it means to live with a mental illness" (Parrott and Parrott, 2015, p. 641; see also: Stuart, 2006). Confirmed by numerous studies, they brought attention to the fact that television programs that consistently stigmatize individuals who have mental disorders "may be especially powerful in shaping an audience member's stereotypes and attitudes concerning mental illness when he/she lacks first-hand experience or knowledge" (Parrott and Parrott, 2015, p. 641). They found that crime-based television "endorsed stereotypes linking mental illness with violent and criminal behavior" (Parrott and Parrott, 2015, p. 651). As discovered by Link, Yang, Phelan, and Collins (2004), "capturing popular media portrayals of real-world stereotypes may inform influential contributors to the stigmatization and prejudice of persons living with mental illness" (Parrott and Parrott, 2015, p. 651; see also: Link, Yang, Phelan, and Collins, 2004).

DISCUSSION

Over the course of my research, I realized that there is a lack of information surrounding the impact that the entertainment media has on the public's perception of mental illness and

Perceptions of Bipolar Disorder in the Entertainment Media
Honors Thesis for Haleigh Resnick

bipolar disorder. I am hoping that this literature review will lead to other, more qualified, researchers to investigate this issue. Using previous experiences, individuals who have been diagnosed with bipolar disorder have such trouble disclosing it with others as a direct result of the negative associations the public has about bipolar disorder. I am hoping to demonstrate that these perceptions, mainly formed as a result of watching certain depictions from entertainment media, can ultimately lead the public to treat those who have the diagnosis differently.

After watching a scene from *Homeland*, a fictional television show airing since 2011, it became evident that bipolar disorder was being falsely depicted. What the show portrayed was a woman, with tattered clothes, screaming in the middle of a busy street. After watching this highly inaccurate scene, it made me curious as to how many other television shows and movies were leading viewers to form negative perceptions about the mental health condition. It is because of prime-time television shows like *Homeland* that make it so difficult for those who have been diagnosed with bipolar disorder to publicly share their diagnosis. I specifically chose to focus on entertainment media because I feel that it reaches a very broad audience. From my experiences, I have seen first-hand how impactful and influential entertainment media can be.

As a result of synthesizing decades worth of research, I hope to shed light on how much the entertainment media can affect individuals' perceptions of bipolar disorder. It is instrumental to demonstrate to individuals how these false perceptions can ultimately shape individuals' behaviors toward those who have the diagnosis. If researchers further investigate this issue, it would be interesting to see the percentage of negative portrayals of mental health, specifically

Perceptions of Bipolar Disorder in the Entertainment Media
Honors Thesis for Haleigh Resnick

of bipolar disorder, that occurred in the media after the twentieth century. It also might be noteworthy to investigate celebrity influence on mental health going forward and if that could impact the public perception of bipolar disorder.

Living in an age that has a seemingly unlimited supply of media, it seems to be the most essential time for the entertainment media to ensure the accuracy of the depictions that they are publicly depicting. Rather than exploiting the negative associations that are connotated with mental illness, the entertainment media should put more energy into tastefully and more accurately portraying all mental health conditions. It is important that this topic becomes more widespread and individuals around the country become properly educated on the mental health condition. As I learned through my research, there has not been a lot of published work surrounding bipolar disorder and the entertainment media – ultimately, I am hoping that this research changes that.

Perceptions of Bipolar Disorder in the Entertainment Media
Honors Thesis for Haleigh Resnick


APPENDICES

Appendix A: Number of TV households in the United States from season 2000-2001 to season 2019-2020 (in millions) (Watson, 2019)

Appendix B: Favorite Media Activities in the U.S. in 2018, by Age Group (Watson, 2018)

Perceptions of Bipolar Disorder in the Entertainment Media
Honors Thesis for Haleigh Resnick


Appendix A – Number of TV households in the United States from season 2000-2001 to season 2019-2020 (in millions)



(Watson, 2019)

Perceptions of Bipolar Disorder in the Entertainment Media
Honors Thesis for Haleigh Resnick

Appendix B: Favorite Media Activities in the U.S. in 2018, by Age Group



(Watson, 2018)

Perceptions of Bipolar Disorder in the Entertainment Media
Honors Thesis for Haleigh Resnick

REFERENCES

- Alonso, J., Liu, Z., Evans-Lacko, S., Sadikova, E., Sampson, N., Chatterji, S., . . . and Thornicroft, G. (2018). Treatment gap for anxiety disorders is global: Results of the world mental health surveys in 21 countries. *Depression and Anxiety*, 35(3), 195-208. doi:10.1002/da.22711
- Babineau, C., McMullen, L., and Downe, P. (2017). Negotiating What Constitutes Depression: Focus Group Conversations in Response to Viewing Direct-to-Consumer Advertisements for Antidepressants. *Canadian Journal of Communication*, 42(5), 725–743. <https://doi-org.bryant.idm.oclc.org/10.22230/cjc.2017v4n5a3175>
- Beautrais, A. L. (2000). Risk factors for suicide and attempted suicide among young people. *Australian and New Zealand Journal of Psychiatry*, 34(3), 420–436.
- Brown, S. (2017). The Effects of Direct-To-Consumer-Advertising on Mental Illness Beliefs and Stigma. *Community Mental Health Journal*, 53(5), 534–541. <https://doi-org.bryant.idm.oclc.org/10.1007/s10597-017-0121-z>
- Brown, K., and Bradley, L. (2002). Reducing the stigma of mental illness. *Journal of Mental Health Counseling*, 24(1), 81–87.
- Byrne, P. (1998). Fall and rise of the movie ‘psycho-killer.’ *Psychiatric Bulletin*, 22(3), 174–176. <https://doi.org/10.1192/pb.22.3.174>
- Buizza, C., Ghilardi, A., and Ferrari, C. (2017). Beliefs and Prejudices Versus Knowledge and Awareness: How to Cope Stigma Against Mental Illness. A College Staff E-survey. *Community Mental Health Journal*, 53(5), 589–597. <https://doi-org.bryant.idm.oclc.org/10.1007/s10597-017-0116-9>
- Caputo, N. M., and Rouner, D. (2011). Narrative processing of entertainment media and mental illness stigma. *Health Communication*, 26(7), 595–604. <https://doi.org/10.1080/10410236.2011.560787>
- Corrigan, P., and Watson, A. (2002). Understanding the impact of stigma on people with mental illness. *World Psychiatry: Official Journal of the World Psychiatric Association (WPA)*, 1(1), 16-20.
- Diefenbach, D. L. (1997). The portrayal of mental illness on prime-time television. *Journal of Community Psychology*, 25(3), 289–302. [https://doi.org/10.1002/\(SICI\)1520-6629\(199705\)25:3<289::AID-JCOP5>3.0.CO;2-R](https://doi.org/10.1002/(SICI)1520-6629(199705)25:3<289::AID-JCOP5>3.0.CO;2-R)
- Edney, D. R. (2004). Mass Media and Mental Illness: A Literature Review. *Canadian Mental Health Association, Ontario*. Retrieved from https://ontario.cmha.ca/wp-content/files/2012/07/mass_media.pdf

Perceptions of Bipolar Disorder in the Entertainment Media
Honors Thesis for Haleigh Resnick

- Fischhoff, S. (1996). Sources of stereotyped images of the mentally ill. *Journal of Media Psychology* 1, 4–11.
- Gerbner, G.; Gross, L; Morgan, M., Signorielli, N., and Shanahan, J., (2002). Growing up with television: Cultivation processes. In J. Bryant and M. B. Oliver (Eds.), *Media effects: Advances in theory and research* (pp. 43-68). Hillsdale, NJ: Erlbaum.
- Gerbner, G. (1969b). Toward “cultural indicators”: The Analysis of Mass Mediated Message Systems. *Communication Review*, 17(2), 137–148.
- Ghaemi, S. N., Hsu, D. J., Thase, M. et al . (2006a). Pharmacological treatment patterns at study entry for the first 500 STEP-BD participants. *Psychiatric Services*, 57 , 660–665.
- Goffman, E. (1963). *Stigma*. London, UK *Penguin*.
- Granello, D. H., and Pauley, P. S. (2000). Television viewing habits and their relationship to tolerance toward people with mental illness. *Journal of Mental Health Counseling*, 22, 162– 175.
- Green, M. C., and Brock, T. C. (2000). The role of transportation in the persuasiveness of public narratives. *Journal of Personality and Social Psychology*, 79, 701–721.
- Hafferty, F. W., and Foster, S. (1994). Decontextualizing disability in the crime mystery genre: The case of the invisible handicap. *Disability & Society*, 9(2), 185–206.
- Hillert, A., Sandmann, J., Ehming, S. C., et al. (1999). The general public’s cognitive and emotional perception of mental illnesses: An alternative to attitude-research. In J. Guimon, W. Fischer, and N. Sartorius (Eds.), *The image of madness: The public facing mental illness and psychiatric treatment* (pp. 56–71). Basel: Karger.
- Hoffner, C. A., and Cohen, E. L. (2015). Portrayal of mental illness on the TV Series Monk: Presumed influence and consequences of exposure. *Health Communication*, 30(10), 1046–1054. <https://doi-org.bryant.idm.oclc.org/10.1080/10410236.2014.917840>
- Houghton, S., Lawrence, D., Hunter, S. C., Rosenberg, M., Zadow, C., Wood, L., and Shilton, T. (2018). Reciprocal Relationships between Trajectories of Depressive Symptoms and Screen Media Use during Adolescence. *Journal of Youth & Adolescence*, 47(11), 2453–2467. <https://doi-org.bryant.idm.oclc.org/10.1007/s10964-018-0901-y>
- Hylar, S. F., Gabbard, G. O., and Schnieder, I. (1991). Homicidal maniacs and narcissistic parasites: Stigmatization of mentally ill persons in the movies. *Hospital and Community Psychiatry*, 42(10), 1044–1048.
- IMDb. (n.d.). Most Popular Bipolar Disorder Movies and TV Shows. Retrieved October 19, 2019, from https://www.imdb.com/search/keyword/?keywords=bipolar-disorder&mode=advanced&page=1&ref_=kw_nxt&sort=moviemeter,asc.

Perceptions of Bipolar Disorder in the Entertainment Media
Honors Thesis for Haleigh Resnick

- Johnson, S. L., Tharp, J. A., Peckham, A. D., and McMaster, K. J. (2016). Emotion in bipolar I disorder: Implications for functional and symptom outcomes. *Journal of Abnormal Psychology, 125*(1), 40–52. <https://doi.org/10.1037/abn0000116>
- Jorm, A. F. (2000). Mental health literacy. *British Medical Journal, 177*, 396–401.
- Kerson, T. S., Kerson, J. F., and Kerson, L. A. (2000). She can have a seizure maybe; then we can watch: The portrayal of epilepsy in film. *Social Work in Health Care, 30*(3), 95–110.
- Klin, A. (2001). *Crime and punishment? The AIDS narrative in the daily press in Israel, 1981–1995 as a cultural construction of a disease*. Ph.D. dissertation. The Hebrew University of Jerusalem.
- Krantz-Kent, R. (2018). Television, capturing America's attention at prime time and beyond. *Beyond the Numbers: Special Studies and Research, 7*(14), 1–11. Retrieved from <https://www.bls.gov/opub/btn/volume-7/pdf/television-capturing-americas-attention.pdf>
- Kravetz, S., Faust, M., and David, M. (2000). Accepting the mental illness label, perceived control over the illness, and quality of life. *Psychiatric Rehabilitation Journal, 23*(4), 323–332. <https://doi-org.bryant.idm.oclc.org/10.1037/h0095147>
- Klin, A., and Lemish, D. (2008). Mental Disorders Stigma in the Media: Review of Studies on Production, Content, and Influences. *Journal of Health Communication, 13*(5), 434–449. <https://doi-org.bryant.idm.oclc.org/10.1080/10810730802198813>
- Lambooy, B., and Saias, T. (2012). Réduire la stigmatisation des personnes souffrant de troubles psychiques par une campagne de communication? Une synthèse de la littérature [Reducing stigma in mental health through communication campaigns? A literature review]. *Annales Médico-psychologiques, 171*(2), 77–82. doi:10.1016/j.amp.2010.11.022
- Lee, A., Laurent, S., Wykes, T., Kitchen Andren, K., Bourassa, K., and McKibbin, C. (2014). Genetic attributions and mental illness diagnosis: effects on perceptions of danger, social distance, and real helping decisions. *Social Psychiatry & Psychiatric Epidemiology, 49*(5), 781–789. <https://doi-org.bryant.idm.oclc.org/10.1007/s00127-013-0764-1>
- Link, B. G., Cullen, F. T., Frank, J., and Wozniak, J. F. (1987). The social rejection of former mental patients: Understanding why labels matter. *American Journal of Sociology, 92*, 1461–1500.
- Link, B. G., and Cullen, F. T. (1986). Contact with people with mental illnesses and

Perceptions of Bipolar Disorder in the Entertainment Media
Honors Thesis for Haleigh Resnick

- perceptions of how dangerous they are. *Journal of Health and Social Behavior*, 27(4), 289-303.
- Link, B. G., and Phelan, J. C. (2014). Mental illness stigma and the sociology of mental health. In *Sociology of Mental Health* (pp. 75–100). Springer International Publishing.
- Link, B. G., Phelan, J. C., Yang, L. H., and Collins, P. Y. (2004). Measuring mental illness stigma. *Schizophrenia Bulletin*, 30(3), 511–541.
<https://doi.org/10.1093/oxfordjournals.schbul.a007098>
- Link, B. G., Phelan, J., Bresnahan, M., Stueve, A., and Pescosolido, B. A. (1999). Public conceptions of mental illness: Labels, causes, dangerousness, and social distance. *American Journal of Public Health*, 89, 1328–1333. doi:10.2105/AJPH.89.9.1328
- Link, B.G., Struening, E.L., Neese-Todd, S., Asmussen, S., and Phelan, J.C. (2001). Stigma as a barrier to recovery: The consequences of stigma for the self-esteem of people with mental illnesses. *Psychiatric Services: A Journal of the American Psychiatric Association*, 52(12), 1621-1626. doi:10.1176/appi.ps.52.12.1621
- Lipczynska, S. (2005). Stigma web review. *Journal of Mental Health*, 14(4), 423–425.
- Manago, B., Pescosolido, B. A., and Olafsdottir, S. (2019). Icelandic inclusion, German hesitation and American fear: A cross-cultural comparison of mental-health stigma and the media. *Scandinavian Journal of Public Health*, 47(2), 90–98. <https://doi-org.bryant.idm.oclc.org/10.1177/1403494817750337>
- Merikangas, K. R., Nakamura, E. F., and Kessler, R. C. (2009). Prevalence rates of anxiety disorders in recent community surveys. *Dialogues Clinical Neuroscience*, 11(1), 7–20.
- National Alliance on Mental Illness (NAMI). (2017, August). Bipolar Disorder. Retrieved October 19, 2019, from <https://www.nami.org/learn-more/mental-health-conditions/bipolar-disorder>.
- National Institute of Mental Health (NIMH). (2017, November). Bipolar Disorder. Retrieved October 19, 2019, from <https://www.nimh.nih.gov/health/statistics/bipolar-disorder.shtml>.
- Nielsen (2012, August). *How people watch: A global Nielsen consumer report* (The Nielsen Company). Retrieved from <http://www.nielsen.com/content/dam/corporate/us/en/reportsdownloads/Global%20Video%20Report%20How%20People%20Watch.pdf>
- Ortiz, M., and Behm-Morawitz, L. (2015). Latinos’ perceptions of intergroup relations in the U.S.: The cultivation of group-based attitudes and beliefs from English and Spanish-language television. *Journal of Social Issues*, 75, 90 –105. doi:10.1111/josi.12098

Perceptions of Bipolar Disorder in the Entertainment Media
Honors Thesis for Haleigh Resnick

- Parker, G. (2012). *Bipolar disorder: Modelling, measuring, and managing*. Cambridge: Cambridge University Press. (2012). Cambridge: Cambridge University Press.
- Parrott, S., and Parrott, C. T. (2015). Law & Disorder: The Portrayal of Mental Illness in U.S. Crime Dramas. *Journal of Broadcasting & Electronic Media*, 59(4), 640–657. <https://doi.org/10.1080/08838151.2015.1093486>
- Patel, V. (2017). Talking sensibly about depression. *PLoS Medicine*, 14(4), e1002257.
- Philo, G., and Secker, J. (1999). Media and mental health. In B. Franklin, (Ed.), *Social policy, the media and misrepresentation* (pp. 135–145). London: Routledge.
- Philo, G., Secker, J., Platt, S., Henderson, L., McLaughlin, G., and Burnside, J. (1994). The impact of the mass media on public images of mental illness: media content and audience belief. *Health Education Journal*, 53(3), 271–281. doi: 10.1177/001789699405300305
- Pinfold, V., Byrne, P., and Toulmin, H. (2005). Challenging stigma and discrimination in communities: A focus group study identifying UK mental health service users' main campaign priorities. *The International Journal of Social Psychiatry*, 51(2), 128–38.
- Pirkis, J., Blood, R.W, Francis, C., and McCallum, K.(2006).On-screen portrayals of mental illness: Extent, nature, and impacts. *Journal of Health Communication*, 11, 523–541.
- Préville, M., Mechakra Tahiri, S. D., Vasiliadis, H.-M., Quesnel, L., Gontijo-Guerra, S., Lamoureux-Lamarche, C., and Berbiche, D. (2015). Association between perceived social stigma against mental disorders and use of health services for psychological distress symptoms in the older adult population: validity of the STIG scale. *Aging & Mental Health*, 19(5), 464–474. <https://doi-org.bryant.idm.oclc.org/10.1080/13607863.2014.944092>
- Rainone, N., Oodal, R., and Niederdeppe, J. (2018). The (Surprising) Impact of Televised Antidepressant Direct-to-Consumer Advertising on the Stigmatization of Mental Illness. *Community Mental Health Journal*, 54(3), 267–275. <https://doi-org.bryant.idm.oclc.org/10.1007/s10597-017-0164-1>
- Rose, D. (1998). Television, madness and community care. *Journal of Community & Applied Social Psychology*, 8(3), 213–228.
- Rusch, L., Kanter, J., Angelone, A., and Ridley, R. (2008). The Impact of In Our Own Voice on Stigma. *American Journal of Psychiatric Rehabilitation*, 11(4), 373–389. <https://doi-org.bryant.idm.oclc.org/10.1080/15487760802397660>
- Satcher, D. (1999). *Mental health: A report of the surgeon general*. Retrieved from

Perceptions of Bipolar Disorder in the Entertainment Media
Honors Thesis for Haleigh Resnick

<http://www.surgeongeneral.gov/library/mentalhealth/home.html>. Last accessed October 1, 2007.

- Schiappa, E., Gregg, P. B., and Hewes, D. E. (2005). The parasocial contact hypothesis. *Communication Monographs*, 72, 92–115. <https://doi-org.bryant.idm.oclc.org/10.1080/0363775052000342544>
- Schmader, T., and Lickel, B. (2006). Stigma and shame: Emotional responses to the stereotypic actions of one's ethnic ingroup. In S. Levin and C. Van Laar (Eds.), *Stigma and group inequality* (pp 281–286). Mahwah, NJ: Lawrence Erlbaum.
- Signorielli, N. (1989). The stigma of mental illness on television. *Journal of Broadcasting and Electronic Media*, 3, 325–331.
- Slater, M. D., and Rouner, D. (2002). Entertainment-education and elaboration likelihood: Understanding the processing of narrative persuasion. *Communication Theory*, 12, 173–191.
- Smith, S. L., Choueiti, M., Choi, A., Pieper, K., and Moutier, C. (2019). Mental Health Conditions in Film & TV: Portrayals that Dehumanize and Trivialize Characters. *USC Annenberg Inclusion Initiative*, 1–42. Retrieved from http://assets.uscannenberg.org/docs/aai-study-mental-health-media_052019.pdf
- Stout, P. A., Villegas, J., and Jennings, N. A. (2004). Images of Mental Illness in the Media: Identifying Gaps in the Research. *Schizophrenia Bulletin*, 30(3), 543–561. <https://doi.org/10.1093/oxfordjournals.schbul.a007099>
- Stuart, H. (2008). Fighting the stigma caused by mental disorders: Past perspectives, present activities, and future directions. *World Psychiatry: Official Journal of the World Psychiatric Association (WPA)*, 7(3), 185-188.
- Stuart, H. (2006). Media portrayal of mental illness and its treatments. *CNS Drugs*, 20, 99–106. doi:10.2165/00023210-200620020-00002
- Substance Abuse and Mental Health Services Administration Advisory (SAMHSA). (2016). An Introduction to Bipolar Disorder and Co-Occurring Substance Use Disorders. *HHS Publication No. (SMA) 16-4960*, 1–12. Retrieved from <https://store.samhsa.gov/system/files/sma16-4960.pdf>
- Tajfel, H., and Turner, J. C. (1986). The social identity theory of intergroup behaviour. In S. Worchel and W. G. Austin (Eds.), *Psychology of intergroup relations* (pp. 7–24). Chicago, IL: Nelson.
- The Top Ten Shows on Netflix and Hulu in July 2015. (2015, August 25). Retrieved from

Perceptions of Bipolar Disorder in the Entertainment Media
Honors Thesis for Haleigh Resnick

[http:// www.thedrum.com/news/2015/08/25/top-ten-shows-netflix-and-hulu-july-2015-seinfeldinvestment-pays](http://www.thedrum.com/news/2015/08/25/top-ten-shows-netflix-and-hulu-july-2015-seinfeldinvestment-pays)

- Tondo, L., Baldessarini, R. J., Hennen, J. and Floris, G. (1998). Lithium maintenance treatment of depression and mania in Bipolar I and Bipolar II disorders. *American Journal of Psychiatry*, 155 , 638–645.
- Truschel, J., and Montero, H. A. (2019). Bipolar Definition and DSM-5 Diagnostic Criteria. Retrieved from <https://www.psychom.net/bipolar-definition-dsm-5/>
- Tukachinsky, R., Mastro, D., and Yarchi, M. (2017). The Effect of Prime-Time Television Ethnic/Racial Stereotypes on Latino and Black Americans: A Longitudinal National Level Study. *Journal of Broadcasting & Electronic Media*, 61(3), 538–556. <https://doi-org.bryant.idm.oclc.org/10.1080/08838151.2017.1344669>
- Tukachinsky, R., and Tokunaga, R. S. (2013). The effects of engagement with entertainment. *Communication Yearbook*, 37, 287–318.
- Wahl O.F. (2003). Depictions of mental illnesses in children’s media. *Journal of Mental Health*, 12(3), 249–258. Retrieved from <http://bryant.idm.oclc.org/login?url=http://search.ebscohost.com/login.aspx?direct=true&db=rzh&AN=106742061&site=ehost-live>
- Wahl, O. F., Borostovik, L., and Rieppi, R. (1995). Schizophrenia in popular periodicals. *Community Mental Health Journal*, 31(3), 239–48. <https://doi.org/10.1007/BF02188750>
- Wahl, O. F., and Kaye, A. L. (1992). Mental illness topics in popular periodicals. *Community Mental Health Journal*, 28(1), 21–8.
- Wahl, O.F. (1992). Mass media images of mental illness: A review of the literature. *Journal of Community Psychology*, 20(4), 343-352.
- Wahl, O. F., and Lefkowitz, J. Y. (1989). Impact of a television film on attitudes toward mental illness. *American Journal of Community Psychology*, 17, 521–528. doi:10.1007/BF00931176
- Wang, P. S., Aguilar-Gaxiola, S., Alonso, J., Angermeyer, M. C., Borges, G., Bromet, E. J., Bruffaerts, R., de Girolamo, G., de Graaf, R., Gureje, O., Haro, J. M., Karam, E. G., Kessler, R. C., Kovess, V., Lane, M. C., Lee, S., Levinson, D., Ono, Y., Petukhova, M., Posada-Villa, J., ... Wells, J. E. (2007). Use of mental health services for anxiety, mood, and substance disorders in 17 countries in the WHO world mental health surveys. *Lancet (London, England)*, 370(9590), 841–850. [https://doi.org/10.1016/S0140-6736\(07\)61414-7](https://doi.org/10.1016/S0140-6736(07)61414-7)
- Warner, R. (2008). Implementing local projects to reduce the stigma of mental illness.

Perceptions of Bipolar Disorder in the Entertainment Media
Honors Thesis for Haleigh Resnick

- Epidemiologia e Psichiatria Sociale*, 17(1), 20–25. Retrieved from <http://bryant.idm.oclc.org/login?url=http://search.ebscohost.com/login.aspx?direct=true&db=psyh&AN=2008-03688-004&site=ehost-live>
- Watson, A. (2019, December 3). Number of TV households in the U.S. 2000-2020. Retrieved from <https://www.statista.com/statistics/243789/number-of-tv-households-in-the-us/>
- Watson, A. (2018, November 27). Preferred media activities among consumers in the United States as of July 2018, by age group. Retrieved from <https://www.statista.com/statistics/281828/favorite-media-activities-in-the-us-by-age/>
- Watson, A. C., Corrigan, P., Larson, J. E., and Sells, M. (2007). Self-stigma in people with mental illness. *Schizophrenia Bulletin*, 33, 1312–1318. doi:10.1093/schbul/sbl076
- Watson, A., Holley, L., Kranke, D., Wilkins, B., Stromwall, L., and Eack, S. (2017). Social work faculty and mental illness stigma. *Journal of Social Work Education*, 53(2), 174-186.
- Wedding, D., and Boyd, M. A. (1999). *Movies and mental illness using films to understand psychopathology*. Boston: McGraw-Hill.
- Wilkinson, G. (1994). Can suicide be prevented? *British Medical Journal*, 309, 860–869.
- Wilson, C., Nairn, R., Coverdale, J., et al. (1999). Mental illness depictions in prime time drama: Identifying the discursive resources. *Australian and New Zealand Journal of Psychiatry*, 33, 232–239.
- Wong, N. C. H., Lookadoo, K. L., and Nisbett, G. S. (2017). “I’m Demi and I Have Bipolar Disorder”: Effect of Parasocial Contact on Reducing Stigma Toward People With Bipolar Disorder. *Communication Studies*, 68(3), 314–333. <https://doi.org/10.1080/10510974.2017.1331928>
- World Health Organization (WHO). (2019, November 28). Mental disorders. Retrieved from <https://www.who.int/news-room/fact-sheets/detail/mental-disorders>
- World Health Organization (WHO). (2014). Mental health: a state of well-being. Geneva: WHO. (WHO factfile, August, p. 1).
- Yao, J., Xu, Y., Qin, Y., Liu, J., Shen, Y., Wang, W., and Chen, W. (2015). Relationship between personality disorder functioning styles and the emotional states in bipolar I and II disorders. *PLoS ONE*, 10(1). Retrieved from <http://search.ebscohost.com/login.aspx?direct=true&db=psyh&AN=2015-29876-001&site=ehost-live>